



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

BIBDATASHEET

Bib Data Sheet

CONFIRMATION NO. 6201

| | | | | |
|-----------------------------|---------------------------|--------------|------------------------|-------------------------------------|
| SERIAL NUMBER 10/716,768 | FILING DATE 11/18/2003 | CLASS 252 | GROUP ART UNIT 1755 | ATTORNEY DOCKET NO. 51876P403 |
| | RULE | | | |

APPLICANTS

Dong-Young Kim, Daejon, KOREA, REPUBLIC OF;

Jin Woo Hahn, Daejon, KOREA, REPUBLIC OF;

Dong Suk Jun, Daejon, KOREA, REPUBLIC OF; Sang Seok Lee, Daejon, KOREA, REPUBLIC OF;

**** CONTINUING DATA *******

**** FOREIGN APPLICATIONS *******

REPUBLIC OF KOREA 2002-71556 11/18/2002

IF REQUIRED, FOREIGN FILING LICENSE GRANTED ** SMALL ENTITY **

**** 02/18/2004**

| Foreign Priority claimed 35 USC 119 (a-d) conditions met | <input checked="" type="checkbox"/> yes <input type="checkbox"/> no <input checked="" type="checkbox"/> yes <input type="checkbox"/> no <input type="checkbox"/> Met after Allowance | STATE OR COUNTRY KOREA, REPUBLIC OF | SHEETS DRAWING 2 | TOTAL CLAIMS 5 | INDEPENDENT CLAIMS 2 |
|---|---|---|------------------------|----------------------|----------------------------|
| Verified and Acknowledged _____ Examiner's Signature | Initials | | | | |

ADDRESS

08791

BLAKELY SOKOLOFF TAYLOR & ZAFMAN

12400 WILSHIRE BOULEVARD

SEVENTH FLOOR

LOS ANGELES , CA

90025-1030

TITLE

YIG magnetic ceramic composition for microwave application and preparation method thereof

| | | |
|--------------------------|---|--|
| FILING FEE | FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT | <input type="checkbox"/> All Fees <input type="checkbox"/> 1.16 Fees (Filing) <input type="checkbox"/> 1.17 Fees (Processing Ext. of time) <input type="checkbox"/> 1.18 Fees (Issue) |
| RECEIVED _____ 005 | No. _____ for following: | |